Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	359	118/dig.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 15:44
S2	6	("5207833").URPN.	USPAT	OR	ON	2005/02/16 13:22
S3	15	betteridge.in. and pipe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 14:35
S4	14	("3208868" "5725668" "2357144" "5207833").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/16 14:30
S5	22	118/dig.11.ccls. and vacuum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 09:16
S6	3	118/dig.11.ccls. and positive adj pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/16 14:53
\$8 \$11	1	"3847353".pn. "4371295".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT US-PGPUB; USPAT;	OR OR	ON	2005/02/22 11:09
S12	20	("4595607").URPN.	USOCR USPAT	OR	ON	2005/02/22 11:52
S13	62	427/421.1.ccls. and pipe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:11
S14	43.	427/421.1.ccls. and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:13
S15	3	118/dig.13.ccls. and vacuum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:19

S16	8	427/427.1.ccls. and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:13
S17	46	427/427.3.ccls. and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:13
S18	30	427/427.5.ccls. and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:21
S19	258	427/181.ccls.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/02/22 14:20
			DERWENT			
S20	72	427/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:20
S21	79	S19 and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:21
S22	12	S20 and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:24
S23	98	427/213.ccls. and (pipe tube cylinder) with (exterior outside surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/22 14:24
S24	12	("2357144" "3208868" "5207833" "5725668").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 08:53
S25	4	118/dig.11.ccls. and grit	US-PGPUB;	OR	ON	2005/02/23 09:18
			USPAT; EPO; JPO; DERWENT			
S26	3	118/dig.11.ccls. and quench	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 09:22

S27	10	118/dig.11.ccls. and cooling with water	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 09:23
S28	6	pipe with coat\$3 near4 quench	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 09:24
S29	16	pipe with coat\$3 with quench	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/23 09:27
S30	34	pipe with coat\$3 same quench	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/02/23 09:27
1.5 m			DERWENT			age of the second
S31	59	pump with compress\$3 with powder with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 15:42
S32	82	pump with compress\$3 with spray\$3 with coatin\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:41
S33	63	pressure adj feed near2 pump with compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:15
S34	26	pressure adj feed near2 pump with coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:16
S35	35	positive adj pressure with pump with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:16
S36	1	positive adj pressure with pump with air with coat\$3	US-PGPUB; USPAT; USOCR;	OR	ON	2005/02/25 16:17
			EPO; JPO; DERWENT			
S37	7	positive adj pressure with pump with air with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:33

S38	13	"vacuum displacement pump"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:41
S39	1421	pump with compress\$3 with compressed adj air with fluid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:52
S40	60	pump with compressed adj air with fluid with spray	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/02/25 16:53
S41	77	118/dig.11.ccls. and (replac\$7 interchang\$6 change\$5 substitut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/02 09:01
S42	286	118/305,308,315,319.ccls. and (pipe tube) with (coat\$3 layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 15:46
S43	64	118/305,308,315,319.ccls. and (exterior outside surface) near3 (pipe tube) with (coat\$3 layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 15:47
S44	4	("3847353").URPN.	USPAT	OR	ON	2005/03/16 15:48